



CONNECTING INNOVATION. POWERING PERFORMANCE.

Premium AV Connectivity
Built for Reliability,
Engineered for Excellence.

YOUR
TRUSTED PARTNER
IN **PASSIVE AV
CONNECTIVITY**



www.beetekav.com



Connected
Innovation



Trusted
Performance



Next-Gen
Technology

Innovative Passive Technology for Modern Spaces

Camera Lift



Speaker Cable



Scissor Projector Lift



Armoured AOC Cable
(Upto 100M)



Cable Cubby



Network Cable



Cable Manager



USBC-Power Injector



Edge Mount



USB Cable



Exec Cable



Converter Cable



Wall-Plates



F-M AOC Cable



USB3.0 Cables



H20-FLEX-PRO

Series

The H20-FLEX-PRO Series HDMI 2.0 cables feature an **ultra-flexible, slim design** with a **supple outer jacket** for easy installation.

Reinforced tin-plated internals and Flow Silicone Strain Relief provide enhanced strength and durability. Supports 4K@60Hz 4:4:4, 18 Gbps bandwidth, HDR, CEC, and ARC for reliable, high-performance connectivity.



Ultra Flexible HDMI 2.0 Cable

H20-FLEX-PRO



Lengths

0.5M, 1M, 2M, 3M, 5M


True 4K HDMI 2.0 Cable

H20-PRO



Lengths

8M, 10M



Premium Silicone Series

Introducing the **industry-first ultra-premium Silicone Jacket cable**, designed for high-profile workspaces such as boardrooms and conference rooms. Engineered for exceptional flexibility, it offers **tangle-free, dust-resistant performance** without compromising durability.

Reinforced internal tin-plating and Flow Silicone Strain Relief enhance strength and longevity. Supports HDMI 2.1 8K@60Hz 4:4:4, 48 Gbps bandwidth and other variant supports HDMI 2.0 4K@60Hz 4:4:4, 18 Gbps bandwidth with HDR, CEC, and ARC for reliable high-performance connectivity.



Executive Premium Silicone
HDMI 2.0 Cable, White Grey

H20-FLEX-EXEC-MG



Lengths

2M, 3M, 5M

Executive Premium Silicone
HDMI 2.0 Cable, Dark Grey

H20-FLEX-EXEC-MB



Lengths

2M, 3M, 5M

Premium Silicone HDMI 2.1 Cable
Dark Grey

H21-HT-SIL



Lengths

2M, 3M, 5M

Enhanced Pro Series

Beetek E2 (Enhanced Pro) comprises professional-grade cables engineered for demanding AV and high-temperature environments. Built with **robust construction, advanced shielding, and secure locking connectors**, the E2 series ensures reliable and stable performance under challenging conditions. Available in a wide range of professional connectivity options, including DisplayPort 1.4, HDMI 2.0, DVI-D Dual Link, and DVI-to-HDMI converter cables, the E2 series delivers versatile and dependable solutions for diverse AV applications.



DP 1.4 Premium Silicone Cable

SP902



Lengths

2M, 5M

Dual-link DVI Cable

D704



Lengths

2M, 5M

12G-SDI Cable

FSC



Lengths

3M, 5M, 10M, 20M, 30M, 50M

HDMI 2.0 ESD Protector

HDMI ESD



HDMI 2.0 Equalizer

HDMI EQ



Resolution

3840*2160@60Hz



HDMI 2.1 & HDMI 2.0

Active Optical Series

The Beetek AHH-H20 Series delivers reliable HDMI connectivity up to 100 meters with 4K@60Hz (4:4:4) and 18Gbps bandwidth. It combines optical technology and copper conductors for uncompressed, zero-latency transmission. Its plug-and-play design requires no external power for easy installation.



HDMI2.0 Active Optical Cable

AHH-H20



Lengths

10M, 15M, 20M, 25M, 30M, 40M, 50M... 100M

HDMI2.1 Active Optical Cable

AHH-H21



Lengths

10M, 15M, 20M, 25M, 30M, 40M, 50M... 100M

HDMI 2.0 Female to Male Active Optical Cable

AHF-H20

WP-AHF



Lengths

10M, 15M, 20M, 25M, 30M 40M, 50M

HDMI 2.0, 2.1 & DP 1.4

Armored Active Optical Series

The Beetek GDH06 is a high-performance HDMI 2.1 Active Optical Cable designed for long-distance transmission up to 100 meters. It supports 48Gbps bandwidth and 8K@60Hz 4:4:4 for lossless, zero-delay audio/video transmission. Featuring a flexible silicone jacket and armoured protection, it offers excellent durability and flexibility. Its plug-and-play design requires no external power, making installation quick and hassle-free.



HDMI2.1 Silicone Armored
Active Optical Cable

GDH06



Lengths

10M, 15M, 20M, 25M, 30M, 40M, 50M... 100M

TPU Armored HDMI 2.0 Active Optical Cable

GDH03



Lengths

10M, 15M, 20M, 25M, 30M, 40M, 50M... 100M

HDMI2.0 TPU Silicone
Armored Active Optical Cable

GDH05



Lengths

10M, 15M, 20M, 25M, 30M, 40M, 50M... 100M

Armored DP 1.4 Active Optical Cable

GDH02



Lengths

10M, 15M, 20M, 25M, 30M, 40M, 50M... 100M

Converters Series

Beetek's Professional Converters are engineered to deliver **reliable, high-performance AV signal conversion for demanding professional environments**. Featuring active signal conversion, EQ adjustment, and EDID pass-through, they ensure stable, zero-delay signal transmission and seamless system integration. Designed for long-lasting performance in high-temperature and challenging AV environments, the converters feature robust construction, advanced shielding, and secure connectivity for dependable operation.



Mini DP1.2a - HDMI 2.0
Converter Cable

P903



Lengths

2M, 5M

DP1.2a - HDMI 2.0
Converter Cable

PH904



Lengths

2M, 5M

DVI - HDMI Converter
Cable

H802M



Lengths

2M, 5M

DP1.2a - HDMI 2.0
Converter Adapter

Z04



Resolution

3840*2160@60Hz

MiniDP1.2a - HDMI 2.0
Converter Adapter

Z05



Resolution

3840*2160@60Hz

USB-C

Converter Series

USB-C is becoming the standard interface in modern workspaces, while HDMI remains widely deployed in existing AV infrastructure. The STH905 Series with **ultra-premium Silicone Jacket with USB-C to HDMI active copper cable bridges** both interfaces for seamless connectivity.

It converts USB-C DisplayPort Alt Mode signals into HDMI video and audio. Supports 4K@60Hz 4:4:4, 18 Gbps bandwidth.



Type-C to HDMI 2.0 Premium
Silicone Converter Cable

STH905



Lengths

2.5M, 5M

USB Type C to HDMI
Active Optical Converter Cable

AUSBCH



Lengths

10M, 15M, 20M, 25M



USB Type-C Full Featured Series

The Beetek USB-C Series provides versatile USB-C to USB-C connectivity for high-speed data, video, and power delivery. It supports **up to 20Gbps data transfer**, **4K@60Hz video via DisplayPort Alt Mode**, and **up to 100W USB Power Delivery**. Available in various lengths and form factors, the series includes **copper**, **coaxial**, and **active optical (AOC) cables**. The AOC models use a 4-lane architecture supporting **up to 8K@60Hz video**, while offering plug-and-play operation without an external power supply.



ALT



20 Gbps



USB 3.2 Gen 2X2



4K 60Hz 4:4:4



100 Watts



10 Gbps



USB 3.2 Gen 2



65 Watts



40 Gbps Transmission Rate



e-Marker Built-in Chipset



8K ULTRA HD



PD 60W Power Delivery Range

Premium Silicone Full Featured USB 3.2 Gen 2X2 Type-C Cable

C10S



Lengths

2M, 3M

Full Featured USB 3.2 Gen 2X2 Coaxial Type-C Cable

C10S - 5M



Lengths

5M


i



Designed for seamless compatibility with full-featured USB-C modules.

Full Featured USB 3.2 Gen 2 Type-C Active Optical Cable

AUSBC



Lengths

10M, 15M



Professional USB 3.0 Super Speed Data Cables

Offering a wide range of USB 3.0 SuperSpeed data cables designed for diverse professional AV connectivity requirements. These high-performance cables deliver fast, reliable data transmission and efficient power delivery for seamless connectivity. The plug-and-play design ensures easy installation without additional adapters. Available in USB Type A-C, Type A-A M/F, and Type A-B configurations, with lengths including 2m, 3m, 5m, 10m, 15m and 20m.



5 Gbps
Transmission Rate



**Built-in
Chipset**



PLUG-AND-PLAY
without additional adapters



**Active Amplification
Technology**



USB-A 3.2 Gen 1 Active Copper Core Cable
Transmission Rate: Supports 5 Gbps



External Peripherals

USB 3.0 Type A-A Cable

CAB-1UA1-PP



2M, 3M, & 5M

USB 3.0 Type A-B Cable

CAB-1AB1-PP



2M, 3M, & 5M

USB 3.0 Type A-C Cable

CAB-1AC1-PP



2M, 3M, & 5M

USB 3.0 Type A (M)-A (F)
Extender Cable

CAB-1AE1-PR



10M, 15M, & 20M

USB 3.0 Type A-C Extender
Cable

CAB-1AC1-PR



10M, 15M, & 20M

USB 2.0 Type A-B Extender
Cable

CAB-1BE0-PP10



10M, 15M, & 20M




Audio & Speaker Series

Beetek provides high-performance speaker and audio cables featuring 99.99% Oxygen-Free Copper (OFC) conductors for superior conductivity, minimal signal loss, and exceptional high-fidelity audio performance. Specially designed and meticulously engineered for audiophiles and audio professionals who demand uncompromising Hi-Res sound quality. These cables are ideal for professional AV high-end audio systems, and commercial sound applications.


99.99%
OFC

Hi-Fi
Audio



2-Core 12 AWG 99.99% OFC
Speaker Cable, 100M

SP-12




Lengths

100 meters/reel

2-Core 14 AWG 99.99% OFC
Speaker Cable, 100M

SP-14




Lengths

100 meters/reel

2-Core 16 AWG 99.99% OFC
Speaker Cable, 100M

SP-16



Lengths

100 meters/reel

4-Core 20AWG 99.99% OFC
Audio/Control Cable

A-20-4



Lengths

100 meters/reel



Network Cables & Connectors

Beetek's high-performance Network cable designed for reliable, high-speed data transmission up to **10Gbps**. Featuring **23 AWG and 24 AWG solid 99.99% Oxygen-Free Copper conductors** with individual pair shielding in S/FTP, and a cross-shaped spline structure, it delivers reduced crosstalk, low attenuation, and stable signal performance. Its durable PVC jacket and robust construction make it ideal for **Professional AV's HDBaseT, AVoverIP and Dante Installations**.



Cat 6A SFTP 23AWG
99.99% OFC Network Cable

W305-S/FTP-23C6A



Lengths

305M

Cat 6A SF/UTP 24AWG
99.99% OFC Network Cable

W305-SF/UTP-24C6A



Lengths

305M

Cat 6 UTP 24AWG
99.99% OFC Network Cable

W305-UTP-24C6



Lengths

305M

CAT6 UTP 10Gbps Patch Cable

W100



Lengths

1M, 2M, 3M, 5M, 10M, 20M,
30M, 50M, 75M, 100M

RJ45 UTP Connectors

BU-RJ45



RJ45 STP Connectors

BS-RJ45



Tool less RJ45 STP Plug

BS-RJ45TL



RJ45 STP Connectors

BST-RJ45



Multifunctional Floor-Mounted Interface Box


The Flip Floor-Mounted Multimedia Interface Box is a professional connectivity solution offering convenient access to power, audio, video, network, and control interfaces. Its flip-top design enables clean installation while keeping cables connected and concealed. Featuring dust- and water-resistant protection, precision laser-cut construction, and flexible modular configurations, it delivers reliable and organized connectivity for professional AV environments.




Sponge pad on the back of the surface frame, improving waterproof performance.



Suitable for various modes of floor mounting.



One-piece bending process, with more robust structure.



Metal polished and wire-drawn panel, with beautiful appearance and durability.



When the cable is accessed and used, the flip cover can be closed to protect the cable and connector, while preventing external risks.



43 models of M modules can be freely configured.



3-Module Flip Floor Mounted Interface Box.
[Silver/Golden brown]

FSL-S/C203



6-Module Flip Floor Mounted Interface Box.
[Silver/Golden brown]

FSL-S/C206




10-Module Flip Floor Mounted Interface Box.
[Silver/Golden brown]

FSL-S/C210




12-Module Flip Floor Mounted Interface Box.
[Designer Series]

FSL-0212



Installation Socket For M Modules


The M-Module Series features a sleek, space-efficient design for seamless integration into floor boxes and wall plates. Easy to install and configure, it provides flexible AV connectivity.



Applicable M-type module



MD-HDMI2.0-90A-B0



MD-HDMI2.0-180A-B0



M-HDMI2.0-B0



M-D-K-FFC-180A-B0



MD-USB3.0-180A-B0



M-Shfit-B0



M-XLR3-I-B0



M-XLR3-O-B0



M-SDI-B1



M-3.5MM-B0



M-Switch-B0



M-Power-B0



M-001-B0-Blank Panel




M-RJ45-6S-B0



M-2RJ45-6U-B0

Cable Manager

Experience effortless access to multiple AV connectivity and power options with Jomard's Silent Revolving-Door Cable Cubby. Its ultra-slim 2mm tabletop profile preserves a sleek, unobtrusive workspace. Cables glide out smoothly when required and retract automatically after use, delivering a clean, organized, and clutter-free meeting environment.



Cable Manager Series

Table Edge Mount
Cable Manager
ZQV Series



Tabletop Round Cable
Cubby
ZQC Series



Tabletop Multifunctional
Cable Cubby
WPB Series

USBC-Power Injector

Experience reliable USB-C power injection with 92W power delivery, supporting high-performance data and video transmission. Designed for easy installation and broad compatibility with UC devices, it delivers seamless connectivity for modern meeting and collaboration spaces.




Display



PD 92W
Power Delivery Range



Laptop
Data/Power/Video



Cable Manager Retractor Series

For ZQV, WPB, & ZQC Models


**Auto-retracting
Cable Box**



**Auto-retracting
Cable pole**




Cable Options



Secure iPad Mount

The iPad desktop security stand to ensure efficient conference control and convenient, safe management. The 33° touch angle provides comfort for viewing, operation and is not easy to reflect light.

The frame and base of the stand are made of aluminum alloy through an integrated molding process, obtaining delicate and powerful functions while also having an elegant and minimalist appearance that can be integrated into various decorations styles.



Secure Table Stand for
iPad 10/11th Gen

TTS-421A-W



Secure Wireless Wall Mount
for iPad 10/11th Gen

WTS-122A-HS




Secure Wall Mount for
iPad 10/11th Gen

WTS-421-A



Ceiling Motorized Camera Lift

The TEC Series is a professional motorized ceiling-mounted camera lift designed for modern conference rooms, meeting spaces, auditoriums, and AV environments. Constructed from durable aluminium alloy, its concealed telescopic design delivers smooth, quiet, and precise camera positioning while maintaining a clean, elegant ceiling appearance. With intelligent preset positioning, stable operation, integrated cable management, and flexible mounting options, the TEC supports professional camera installations with extensions up to 2000 mm and load capacities of up to 10 kg.



90° Rotating
Cable Retractor

TEC-100/ 150/ 200

Ceiling Motorized Camera Lift
1000mm/ 1500mm/ 2000mm

TEC-100X/ 150X/ 200X

Ceiling Motorized Camera Lift
Self-Retracting Cable
1000mm/ 1500mm/ 2000mm

TEC-100C/ 150C/ 200C

Ceiling Motorized Camera Lift
With Retracting & Cable
1000mm/ 1500mm/ 2000mm



ACCESSORIES

TEC-DAB

Upright Mount Adapter

Remote Control

[Included as Standard]





Beetek AV Pvt Ltd:



Scan here for
all products details